

A
Very perfect Dis-
course and order how

to know the Age of a HORSE,
and the Diseases that breed in him
with the Remedies to cure the
same: as also,

The description of euery Vayne, and how
and when to let him blood, according to
the diuersitie of the Disease, as hath
been prooued by the Author.

L.W.C.



Imprinted at London by W. W.
for Thomas Panier.
1610.

#4288


Very Respectfully

Yours truly

Wm. A. Smith

Secretary

Wm. A. Smith





In this Discourse, is fyrst

shewed how, and when, a Horse should be let blood, and to what end, and by what Signe a man may know whether it be requisite or no. Secondly, in how many Wayes he may be let Blood.

Thirdly, how to know his age. Fourthly,

Where all kind of Diseases do grow, and
how to cure them.

*How, and when, a Horse should be let blood, and to
what end; and by what signe a man may know
whether it be requisite or no.*



First, to preserve health, it is good to let him blood foure times a yeare: First, in the Spring about the beginning of May; because the blood beginneth to increase: Secondly, in September, because the Blood being then inflamed inequally, may euaporate or breake out: Thirdly, about the middelt of December, to let out the grosse and knottie Blood: Fourthly, about the middelt of March.

But I would not wish you to let a Horse blood but once a yeare, and that in the beginning of May, within a fourtnight after his putting to grasse; for then you shall let out the grosse & old Blood, and the new will come in his place: Except it be vpon great need, I would wish

Remedies by Blood-letting.

you not to let him blood at all : for oft letting blood, causeth debilitie in the Horse, it bindeth the sight, & maketh the Blood resolvt inwardly : which cloyeth the Heart and Intrals, and leaueth the outward partes destitute.

In how many Vaines an Horse may be let Blood.

In the first 2. Vaines, are the Temple Vaines; which be the principall Vaines in the Head.

In the 2. Eye Vaines, which are easie to finde in the Face of the Horse, somewhat beneath his Eyes.

In the 2. Pallet Vaines in the Mouth.

In the 2. Necke Vaines.

In the 2. Plate Vaines, which are in the Breast.

In the 2. Fore-head Vaines.

In the 2. fore Shankes Vaines before.

In the 2. fore Vaines before.

In the 2. Side Vaines, which may be called the Scanke Vaines.

In the Cople Vaine.

In the Hanch Vaine.

In the Hoofe Vaine.

In the 2. fore Shankes Vaines behind.

So by this account, an Horse may be let Blood in 31. Vaines : All which Vaines, are easie enough to know, because euery one lyeth in a litle Gutter, which you shall find by feeling with your finger.

If your Horse be payned with any grieve in his Head, Headaines, Frensie, Falling euill, or such like; then it is good to let him Blood in the Temple Vaines, with a Fleme.

If his eyes be watrish, or Blood-shotten, or greued with Pinne or Webbe, or Paw; then it is good to let him blood in the Eye Vaine, with a Fleme.

Remedies by Blood-letting.

If he haue any *Weaknesse* or *Heauinesse* of body, or be diseased in the *Throat* with the *Stranglings* or *Quinsies*, or *Swellings* of the *Arteries* either within or without; then it is good to let him blood in the *Pallet Vaines* in the *Mouth*, with a *Corynet*.

If he be vexed with an *Ague*, or with any other *Disease* vniuersall, hurting his *Body*, then let him *Blood* in the *Necke Vaines*.

If his griefe be in the *Lunges*, *Liver*, or any other inward part: then let him *Blood* in the *Breast Vaines*; which we call (before) the *Plate Vaines*.

If he be grieved in the *Shoulders*, then let him blood in the *Fore-feete Vaines* aboue the *Knee*, with a *Launce*; and that very warily: for that place is full of *Sinewes*.

If he be grieved in the *Joyntes*, then let him *Blood* in the *Shackle Vaines*, and that very warily: for that place is full of *Sinewes* also.

If he be soyled in the *Fore-feete* with *Foundring*, or otherwise, then let him *Blood* in the *two Vaines* (make way first with your *Dawer*, to come to your *Vaines*) in the *Fore-feete*.

If he be diseased in the *Kidnies* or *Reines*, *Backe* or *Belly*, then let him blood in the *Flanke Vaines*.

If he haue any griefe in his *Hips*, then let him *Blood* in the *Cable Vaine*, or *Hough Vaine*.

If his hinder *Legs* be grieved, or *Joyntes*, or *Feete*: then let him *Blood* on the *Shackle Vaines*, and on the *two Vaines* behind on the hinder *Feete*.

To know the age of a Horſe.

A Horſe hath xl. Teeth: the xxx. Doneth after his foaling he loſeth two aboue and two beneath: in the iiii. yeare he loſeth two aboue and two beneath: when he is ſixe, he caſteth all the reſt both aboue and beneath. Thoſe that come firſt aboue, are hollow: when he is ſixe, his hollow Teeth are filled vp; and in the ſeuenth, all the reſt are filled vp: then you may no longer iudge of his age by his Teeth.

To know where theſe Diſeaſes doe grow about the Horſe.

B Agges, is in the weakes of the Mouth.
Barbe, be two Teates growing vnder the Tongue.
Bortes, do grow and bzeed in the Paw and Gutes.
Bliſters on his body, cometh through heat & cold.
Canker, is in his Mouth venomous, and will make his Tongue to haue cliſtes, and Scabbies in his upper Lippes vnderneath, and are full of blacke Wheales or Pimples, ſo that he can hardly eate his meate.
Coultsuill, is by rancineſſe of Water and Blood: it will cauſe his Belly and Pans to ſwell.
Cloying, is in the Hoofe of the Fetter.
Cordes, is a ſlacke Sinnew in the Legges beſore.
Curbes, is a ſwelling Sinnew behind the Hoofe.
Crotchets, is a ruſſe ſcurffineſſe about the Fetterlocks.
Interfeering, is ſtriking on his ſide about the Gallies.
Farcion or Farcie, is a Scabbe or Knobs breaking in diuers places of his body, and cometh chiefly in the Flanes.
Feuer, is a ſickneſſe taken with cold, and will cauſe him to ſhake.

Thiſtula,

The Diseases in Horses.

- Thistula, is an old rotten Soze in his Body.
 Foundering, is taken in the Body, and Feete also.
 Fraying, is taken in the Body, Feete, and legges, which
 is a thickenesse coming onely with cold.
 Frounce or Pimples in the Pallet of his Mouth, Gaw-
 ling, or other hurt : and come especially by eating of
 frozen Grasse, or Dust.
 Gigges or Flappes, are Pimples or Teates on the inside
 of the Mouth.
 Glaunders, are Curnels vnder his Jawes : and when
 they are ripe, they will runne at his Nose, & so breake
 out.
 Gorge, is a swelling of Blood on the Legges.
 Grauell, is taken in the Feete.
 The Webbs in the Eye, or the Paw, which is a Gristle
 growing on the Felme, which scowreth the Eye.
 Hyde-bouch, is when the Skinne cleaveth to the flesh
 and the ribbes.
 Hoofe-bound, is in the pinching of the Hoofe.
 Itch in the Tayle, is by excesse of Blood.
 Lampas, is the flesh in the Mouth neere the upper Teeth.
 Mange, is taken by some Scabbe or byring.
 Mallender, is a Scabbe in the Bone of the Knees.
 Molt-long, is the pinching of a straight Hoofe.
 Mourning of the Chine, is a wasting from the Backe, or
 broken Winded.
 Nauel-galled, is a Soze on his backe against the Nauell,
 or an Impostume soze.
 Paynes, is a sorenesse about the Hoofe, or Foot-lockes.
 Powle-cuill, is on the Rape of the Necke, and breedeth
 by stripes.
 Pinne, or Webbe, which couereth the beard of the Eye.
 Rume, is taken by cold, and so his Teeth will waxe loose
 and seeme long, and then he can not eat his meate, but

The Diseases in Horses.

it will lie in lumps, and about his Jawes.

Ring-bone, is a hard Gristle about the Hoofe.

Quinsie, is a sozenesse in the Throate.

Sclander, is a Scabbe on the Hammes on the hinder Legges.

Shackle gawled, is on the Pastozne.

Spauen, is on the Joynt in the Hoofes behind.

Splent, is a splend Sinnew about the Fetterlockes.

Staggers, is a doosinesse in the head, breeding of cold, and of the Pellowes.

Stranglings, is a swelling of the Throate.

Stone in a Hoofe.

Surbating, is vnder the Hoales of the Feste on the further side.

Viues, is a certaine Curnell vnder the Eares, or a Canker in the Mouth or Throat.

Windgalles, are Bladders about the Fetterlockes.

Yellow, is a kind of Jaundies, and will cause the Eyes to looke yellow, and other partes of the body also.

APPRO-



APPROVED REMEDIES FOR THE CURING

of any kind of discale, hurt, maine,
or maladie in Horses.

For the Gawling of a Horse.

Take Butter, Vineger, and Bay salt, and melt them together, and lay on the Horse backe warme : then strow vpon it Dutte, or the powder of a Clay wal.

An other for the same.

Take ob. of Turmeracke, bruse it : a handfull of Bay-salt, and a handfull of Dutte, with two handfulls of Oatmeale, mingle it with Vine, and make it into a Cake as well as you can, and then vpon a hot harch bake it till it be burnt blacke, then beat it into powder : and when you haue washed your Horse backe with Lee very hotte, or Chamber-lee, then strow on the Powder : and when the Powder is almost gone, then dresse it as aforesayd.

If it be fettered, take Peest, Hony, the white of an Egge, and Dutte : mingle them together, and make a Playster thereof, and lay it to eate the dead flesh : then strow on Verdigreace, and renew it once a day.

B 2,

An

Approoued Remedies,

An other for the same.

Take a pottle of Uergis, two penny worth of greene Coparis, and boyle it to a pint and a halfe: wash and searce the hole therewith, and fill the hole with red Lead, and so let it remaine thye dayes vntouched: then wash it with the same, and fill it againe with the red Lead: and so euery other day wash it with that Water, not made so strong of the Coparis; and lay thereon read Lead. This will heale it though it be galled to the body.

An other for the same.

Take of the strongest Beere a pint, put into it a quarter of a pound of Allum, & halfe a handfull of Sage: seeth it to the one halfe; then take out the Sage leaues. This will heale any Canker or Soze, in a Horse.

To heale any Cut in a Horse.

Take a quarter of a pound of fresh Butter, of Tarre, and blacke Sope, halfe so much of each, & a litle Turpentine: boyle them altogether (but the Sope) & as soone as you take it from the fire, put in the Sope, and then vse it.

For a Horse wrong in the Wales.

Take Butter and Salt, and boyle them together till they are blacke, then powre it on hotte: then take vp a flake of Horse dung that is hot, & lay it on the soze backe, and so vresse him till he be whole.

For fretting on the Belly, which commeth with gawling of the fore Gyrt.

This commeth with the fore Gyrt, and it stoppeth the Blood which is in the principall Vaines, called the Plate-vaines, which doe run length wayes: Take Oyle
of

For Diseased Horses.

of Bayes, and Oyle of Balsme, two ounces of Pitch, two ounces of Tarre, one ounce of Rosen: mingle them altogether, and annoynt the foure Bowels: then take Flaxe and lay vpon it, and seare it with a hotte Iron: but take heed it be not too hot, for feare of burning.

For Thistulaes.

When you first perceiue it to swell, then scald it with Hony and Sheepes Shuet: but scald it very much. This will keepe it from breeding.

Then take and slit it in the nether end of the Soze, and put as much Mercurie Sublimatum as a Pease, abate it with Sallet Oile, laying it on with a Fether: after that, take Verdegreace iiii. v. worth, Ultraell ob. Lead iii. v. worth, beat these together, & euery day wash the wound with Coppis water made with Coppis and Elder leaues in Summer, and with the inner greene Barke in winter: after the washing, take the powder, and put it on the soze: and after it, drop on a little Oyle.

An other for the same.

TAke the outermost greene Shells of Walnuts, and put them in a Tubbe, Rowing ther oʒ foure handfull of Bay Salt vpon them, some in the bottome, some in the middls, and some on the toppe, and so keepe them all the yeare: and when you will vse them, take a Pint of them, and a little Bay salt, & halfe a quarter of a pound of blacke Sops, with halfe a spoonefull of Bay Butter (and for want thereof, other Butter) and incorporate them together, and then spread it on the soze: but two howers before you lay it on, annoynt the soze with a little Venus Turpentine.

Approued Remedies

A Medecine to kill the Thistula cleane.

Take Vnguentum Egipsiacum, which is made of Honey, a Pint, Viniger di. a Pint, Allum a quarter of a pound, & Terdigreace i. oz. di and seeth them altogether till they be thicke & a tawny cullour: this is called Egipsiacum: And to make it the strongest way, is to put Sublimar i. oz. made in powder, and Arsenicke two scruples, and boyle it together.

This strongest is for Thistulaes, Cankers, and foule Sores: and the first may be vsed in the Mouth, but not that which is made of Sublimatum, and Arsenicke: for they are poyson.

A Tent to put into the hollow place of the Thistula.

Take of Sublimatum well powdered i. oz. the middlest of well leauoned Bread Flake baked iiii. oz. of Nenin x. drammes, mingle them together with a litle Rose water, and make Centes thereof, and vye them vpon a Cyle, and then take it to pour vse.

To make a Lee for the same, or Water, to kill at the bottome.

Take Lee, Honey, Roach Allum, and Mercury, & seeth them together, and apply it to the Thistula at the bottome thereof.

Also, to vye a Thistula, take red Wine, Soates downe, and Beane flower, and seeth them together, and lay it on: and this will vye it vp.

To sinke a Thistula.

Take first and seare it, as with this marke ☉. oz such like: and then take Rosen, Sheepes tallow, and Bym-bone,

For Diseased Horses.

stone, and boyle them to geather, and lay it on very hotte with a cloth : this will sinke it downe againe. This is good also for a Windgall : Take and pick it out (but beware of Sinnewes) and then lay it on: but not too hot, but very reasonably: and this will keepe it cleane.

For a Thirula in the Head.

Take the Tuce of Horse-lecke, and dippe a Locke of Wooll in it, and put the Locke of Wooll in his Eares, and bind it fast: vse this once a day.

Another for the same.

If there be any Inflammation in the Eares, or that it groweth to an Impostumation in that place, you shal boyle the rootes of Gallows in Water till they were tender, then bruse them, and straine out the Water cleane : and being warme, giue it the Horse to drinke.

To know the Bottes.

When you thinke that your Horse hath the Bottes, looke in his Mouth and smell to his Breath, for it will stinke, and his Mouth will be full of slime.

To cure the Bottes.

Take as much black Soap as a Wall-nut, as much Rymstone beaten, and a litle Garlick, and put it in good Ale, and giue it the Horse blood warme : But for a Ware with Foale, then take Rymstone, Sutte, and Garlick, without Soap.

Take a handfull of new Hennes dounge, and a quart of good stale Drinke, and all to bray it with your handes : then take a good handfull of bay salt, and put two Egges to it, and bray them altogether, and giue it your Horse to drinke in a Horse.

Approued Remedies

An other for the same.

Take a pint of Milke, ob. of Saffron, ob. of Allum, beat them together, and giue it him to drinke.

To kill the Woormes in the Maw.

Take the crops of young Broome, and of Sauin, and Grounself, of each a quantitie: then chop them small, and giue it him with his Drunker euening & morning: and let him not drinke for a good space after.

If he haue the long Woozmes, take Milke, byrnstone, and Hony, and giue it him to drinke.

For Wormes in the Coddies.

Take the Cuttes of a young Bulle, and cast it into his mouth fasting, and make him to swallow them downe: do this thre morninges together: but let him not drinke nor eate in fure houres after.

Some vse to giue him fresh Broome in his Drunker, and salt water to drinke.

Others doe giue him of greene Willow, or greene Reede to eate: and in digestion of the meate, he shall cast out the Woozmes.

An other for the same.

Take the Garbidge of a young Henne or Pidgeon while it is warme, rowle it first in a little blacke & ope, and after in Bay salt, and force it downe his throat: and it will helpe him. *Probatum.*

To know when a Horse hath Woormes.

Take up his upper Lippe, and you shall see many small blew Claines, greater and bigger then the Woozme Claines by a great deale.

For

For Diseased Horses.

For a Horse that hath the Trunchons.

Let him drinke Hennes doung, Hynts, Sage, & Rue:
and let him blood in the Nostrils: or else giue him
Sauin or Soothernewood to drinke; and it will cure him.

An other for the same.

Take ob. of Arment, ob. of Hony, ob. of Venicercke, ob.
of good Ale Ale; mingle them together, and tie vp
the Horses Head on high: and giue it him to drinke with
a Hayne.

For Blisters.

Take the iace of Ground Iuy, with so much Brym-
stone, a quantity of Tarre, and so much Ailum: put
it altogether, and lay it to the Blister.

For the Barbes.

If they grow long, they will hinder his feeding: they do
ble to clip them with a paire of Sheares, and then wash
his mouth with Water & Salt: and that will cure him.

For the Staggers.

You shall perceiue them by beating his head, and hee
will be as though he were blinde

Take Garlike, Rue, and Bay salt, and beate them
grossely, and put Vinegar into it, and put it into the Horses
eares, and then wet Clooll in this Medicine, and stop his
eares therewith, and bind them close, and let it be so xxiij.
howers, and then pull out his tongue and wash it with
Vineger, to make him haue a good stomacke.

First, take a wispe of wet Hay, and burne it vnder his
nose, that the smoke may goe into his head then take halfe
a handfull of Salauine, and as much Hearbe-Grace,
three or foure cloues of Garlike, and a litle Bay salt,
and stompe them together, and put thereto foure or fise

C.

spoones.

Approoued Remedies,

Spoonefull of Vineger or Uriges : then tramitie it into the Horse Eares, and tie the Eares close that no ayre may come in: let it continue in his eares a day and a night, and then let him blood.

Oz els, take Rue & Sallandine, of each a like, & white Salt, and stampe them together, and put it into his eares, and then bind them vp for two howers,

An other for the same.

TAke Oyle of Bitter Almonds, i. oz. di. of Oye Gall, two drams of blacke Ellabar stamped, ob. of Graines, of Calterum, of Vineger, and of Varnice. v. Drammes : seeth them altogether till the Vineger be consumed: then straine them, and put it into his eares.

For the paine in the Head or Stifeling.

KEepe his Head warme, and let him drinke warme water mingled with Wheate Meale, or Fennel-seedes, and blow it into his Nose with a quill, and some powder of Ellabar, or Heeling powder, mixed together with some Pepper : then take a pint of Palmesley, the Whites and Yolkes of v. new layde Egges, one head of Garlicke bruised, small Pepper, Sinamon, and Nutmegs beaten fine, and a quantitie of sweete Butter: mingle them together, and giue it him to drinke thre dayes after: but let him not drinke in foure houres after.

For the Wanders.

TAke halfe a bushell of Barley, and set it on the fire in a panne, and put thereto running water, and euery as the water wasteth, put in moze, so that the Barley be couered with water, and let it seeth till the Barley be broken: then take a little Poake or Sacke and put the Barley therein,
and

For Diseased Horses.

and lay the same on the Horse ridge on length from the
Hane to the Cropper, all hot: and let it lie till it be cold,
and there let it lie a night and a day, & put the Horse into
a greene Yard some print. howers, and there he will heal-
low: and then take him in, and he will be whole.

For the Yellowes.

YOU shall know them by the white of his Eye, which
will be yellow: or else by his Tongue, which will haue
yellow Taines: or else put by his upper Lippe, and you
shall see the Taines yellow.

Take two races of Turmeracke, and ob. of Saffron,
and put to it a pint of strong Beere or Ale, and warme it
blood warme, and giue it him.

An other for the same.

Take Turmeracke a clove et di. et di. a dozen rhines of
Saffron, one or two Cloues, and sixe spoonefulls of
Vineger or Uerges: and put in each Care three spoone-
full, and stoppe his Cares with blacke Wooll: and then
tpe them fast vii. or viii. dayes.

An other for the same.

Take long Pepper, Grapnes, Turmeracke, & Licoris,
beaten into powder: put them into strong Beere, and
giue it him to drinke.

For the Paines or Crotches, which commeth by
heate and the sodaine cold vpon it.

THE Paynes appeare aboue the Hoofe: you shall
know them by the Hoofe standing right by: you
must take by the Shackle Taines on both sides, then
take the Soft Row of a Redde Hearing, and Mustards,

Approoued Remedies,

and blacke Sope, and boyle these in Vineger, and make a Plaster, and lay it to the soze.

There is no Uaine betweene the Pastozne and the Hoofe, but the Shank Uaine : and the Uaine which serueth for the Crotches, must be taken vp en the inside and the outside.

Wash it first with warme Urine, then dry it with a cloth, and clippe away all the hayres on the scabby place, then rubbe and chafe it all ouer, and make fast his feete, and rubbe the place greued with butter and Tarre, boyling together, vpon a Cloute tyed on a Stickes end, and bath it well therewith : vse this once or twice a day, till it be whole.

Butter and Hony molten together, is good to annoynt an Horse for Waines, or Cratches.

Take a pound of Hogges greace, i. v. worth of Verdigrace, ii. oz. of Mustard, di. a pound of Oyle de Vap, a quarter of a pound of Maruell, di. a pound of Hony, di. a pound of English Ware, i. oz. of Arsenicke, ii. oz. of red Lead, halfe a pint of Vineger : boyle all these together, and make an Oyntment of it: clippe the Horse legges bare, and lay this Medicine to it very hot.

For goured Legges, or Scratches.

Take vp the Vaines beneath the knee, and let him blood as much as you think good, then knit the Uaine aboue and beneath, and annoynt the Legges with this Oyle following.

Take Frankensence, & Rosen, & fresh Greace, & boyle them together, and straine it: and keepe it to your vse.

A

For Diseased Horses.

A Drinke to rayse a Horse, or for a
Horse that is sicke.

Take two pennnyworth of Pepper, two pennny worth of Saffron, two pennny worth of Annis seedes, two pennny worth of Turmeracke, a pennny worth of long Pepper, two pennny worth of Treacle, a pennny worth of Licoris, a good quantitie of Penny-royall & Archangell: giue him these with the Polkes of Egges in Spilke to drinke. And so; Reate Cattle, giue these in drinke.

For a Surfet Horse.

Take a quart of Beere or Ale, and ii. p. worth of Saller Dyle, and as much Dragon Water, a pennny worth of Treacle: make them warme vpon the coales, and put in to it a pennny worth of Horse Spices: and giue it him.

For a Hide-bound Horse.

This commeth by ouermuch washing, ill dyeting, and naughty dyeking. Take Fenne-creeke, Turmeracke, Annis seedes, Bayes, Licoris, and Commin: beate all these together, and giue him one spoonefull of all these in Ale or Beere blood warme. This is also good for the Cough: This will also keepe him from it, if you wis to giue it him befoze the Defeale commeth.

An other for the same.

Take away some Blood with a Felme, then giue him some warme Bathes moyning and euening, and giue him Pale sodden in water together, or Bianne and Maater, or some Albente-sodden with Barley in Water, and it will helpe him.

For the Hoofe-bound.

You shall rayse the Hoofe aboue from the toppe to the sole in foure or fve places, so that the Water may

Approoued Remedies;

come out: Some doe rayse it round with a Sharpe Knife, and along downeward; and then rubbe it well with Salt once or twice.

For a loose Hoofe.

Take Tarre three Spoonfull, of Rosen a quarter of a pound, of Tansey, of Rue, of redde Spintes, of Soothernwood, of each halfe a handfull: beat all them together in a Morter, and put thereto halfe a pound of Butter, i. d. worth of Virgins Ware: then fry them all together, and bind it to the Hoofe for vii. dayes, and it will cure him.

For a brittle Hoofe.

If your Hoofe hath a brittle Hoofe, it is because he is too hotte, or too dry, and both stand dry in the Stable vnstopped.

Take Oxe dung and temper it with Vineger, and binde it warme all ouer vnto the Feete, and vnder the soales of the Feete: on the next day vse him so againe; so vse him for a weeke together, and it will helpe him: vse to stoppe his Feete with Oxe or Cow dung, or his owne, and let him stand so a month.

Or, take the fatte of Bacon, and temper it with Turpentine, and annoynt his Feete therewith, which is very good.

A Medecine for the Cough, or Mourning in the Chinee.

Keepe your Hoofe meatlesse ouer night, then take a pint and a halfe of Milke, three heades of Garlick pilled and stamped, boyle them to the halfe: giue it to your Hoofe, and some at his Nose, then runne him a quarter of a myle, then rest him: and after that, run him three times

' For Diseased Horses.

times moze, every time resting him : then put him into a Stable, and keepe him very warme, and giue him no water till afternoone, then giue him good Hesh : and so vse him with Heshes thre dapes, and giue him no water but alwayes warme, for thre dapes.

An other for the same.

Take Harchound, Licoris, and Annis seedes in powder: make Balles thereof with fresh Butter, and giue it your Horse.

An other for the same.

Take Wheate flower, Annis seedes, and Licoris being stamped in a Morter, v. or vi. Cloues of Garlicke being bziled : mixe all these together, and make a Past of them, and rowle them in Balles as bigge as a Walnut : then pull out his Tongue and cast them Balles downe his Throate thre. or foure of them at a time : and giue him two new layde Egges after them, Hesh and all.

For the Glaunders.

Take Swines greace cleane clarified, & as much Oyle of Bay as a Walnut : giue it him to drinke with saue water luke warme.

An other for the same.

Take of Clacompana, Annis seedes, & Licoris, of each i. lb. worth, boyle them in thre pintes of strong Ale or Beere vnto two pintes or lesse : then put into it a quarter of a pint of Sallet Oyle, and giue it him to drinke blood warme.

Chewtake Euforbium in a quill, & blow it by into his nose, & within thre dapes after take Mustard, Vineger, and

Approoued Remedies,

and Butter, and boyle them together : put thereto halfe an ounce of Pepper, and giue it him to drinke. Use the one Pedecime one weeke, and the other another, and ride or worke him easly.

An other for the same.

TAke a quantitie of Annis seedes, Licories, & Clacumpana rootes, Long pepper and Garlick, of each a like, with three Egges, and some Butter, a quantity of Salmey, and some good Ale, mixt together : and make it warme, and so giue it him, and keepe him warme.

An other for the same.

SEeth a handfull of pilled Scitike in Milke, and put a peece of Butter thereto, and some Ale, and stirre them all together, and giue it him fasting, and ride him softly a while after, and then let him by : but keepe him warme nine dayes after.

For the Strangles.

Cut him betweene the Thawes, & take out the Kirnells and wash the place euery day with Beere & Butter, and stop it by as long as you can, & giue him new Milke and Garlick to drinke, & the iuce of the leaues of Birch withall, or in Winter the Barke of Birch : also smother him with the fume of Musticke or Frankensence.

For the Farsey.

TAke blacke Soap, Arsenicke, vnslaked Lime, Herdgreece, and red Lead : worke these all together, and lay them to the soze.

An other for the same.

TAke iii. oz. of Quicksilver, and put it into a Bladder, with two spoonefull of the iuce of Oranges or Lemmons,

For Diseased Horses.

mons, and shake them together to coole the Quicksilver: then take halfe a pound of fresh Hogs greace, and of Alergis an ounce: put al these in a Greene dish, & worke them well together: then annoynt the knots with this Syntment till they rot, then let them out with a sharpe knife, and annoynt them still: and put into his eares the iuce of Rag-weed, and they will dye by. *Probatum.*

A Drinke for the Farsey.

Let him blood in the Necke on both sides, soure sin-
gers from the Head, and giue him this drinke.

Take a gallon of faire water, and put therein a good handfull of Rue and a spooufull of Hempseed, and bruse them in a Morter alltogether, and seeth it till the halfe be consumed: and when it is cold, giue it him to drinke.

For the Farsey.

Take blacke Sope, Mustarde made of Sharpe Wine or Vinegar, and red Lead, mixe all these together, and annoynt the Ueyne all along, rubbe it ouer with an hot Iron made of purpose, but very thicke: rubbe the Spedecine much in with the Iron, being red hot.

To destroye the Farsey.

Take iuyce of Hemlocke a good quantitie, and bray them together, and put it into the eares, and picke the Knots and put in Salt, and giue him drinke with sweete Wort, Fennell, and Treacle.

For a Horse foote that is wronged in the Foote-locke.

Sceeth a quart of Brine till the foame rise, then straine it, and put thereto a handfull of Tansey, as much of Pallowes, a sawcerful of Honey, and a quarter of a pound

D.

of

Approoued Remedies,

of Sheepes Tallow : Stirre all these on the fire till the Hearbes are well sodden, and all hot, lay it to the Joynts, and then lay a cloth ouer it, and it will be whole in thre dayes.

For a Wrench in the Foot-locke.

Take Pompilion, Maruile, and blacke Sope, of each a like, and heate them hot on the fire, and then annoynt him therewith.

For a Horse that is Stiffed or Hipped.

Take a pound of Bole-armoniack, one quart of red Wine-vineger, vi. Egges beaten shelles and all, two penny worth of English Hony, as much Venus Turpentine, one quart of Flower, one good handfull of Bay salt, and put all these in a pot, and keepe it close one night, and the next day apply some of it to the hurt, dressing it once a day for ix. dayes together.

For a Horse that is Foundered.

Take Uerdegreece, Turpentine, and Sallet Oyle, two or thre spoonefull of Hogges greace, and Bees waxe i. oz. boyle all together, and, so dip flaxe or Tow in it, and stuffe his feete therewith, and let him bleed in the Toes, and he shall be whole.

An other for the same.

Plucke off his Shoes, and pare hollow his feete nigh to the quicke, then race him with a crooked Lance from the Heele to the Toe in two or thre places on both sides of the Hoofe, and let him bleed well: then clap two or thre hard Egges so it as hot as he may suffer it: and as they coole, lay on more: and then lay hot Horse dung vpon them and about his feete, and he will soone recouer, if you giue him rest.

For

For Diseased Horses.

For a Horse that is Foundered in his Feete.

Take Tarre, Meates-foote Oyle, and the Poultices of Egges, i. d. worth of Verdegreece, and some Wheate Branne, and boyle these together, and binde them vnder his foote very hot.

If he be Foundred in his Body.

Take ob. of Garlick, ii. d. worth of the powder of Pepper, ii. d. worth of the powder of Ginger, ii. d. worth of Graynes husled, and put it into a pottle of stale Ale the best you can get, and giue it him to drinke, and litter him to the belly, and lay Cloathes on him as many as he can beare; and let him blood on the sides.

For Blindnesse.

Take two dry Cyle-stones and rubbe them together, and blow the powder of it with a Quill into his Eyes three or foure times.

For the Webbe in the Eye.

Take the leane of a Gammon of Bacon and dry it, and thereof make powder, and vse the powder, and it will cure it.

For the Pearle in the Eye.

Take the Juice of ground Iule, the Juice of Salandine, and womans Milke, and put it into the eyes, and it will also cure him.

D 2.

For

Approoued Remedies,

For the Haw in the Eye.

MAke a Playster of the iuce of Ground-Iuie, and of Iuie Berries stamped in a Morter, beaten with Wine or Water : and playsterwise lay it to the Eye or Eyes euening and morning.

An other for the Haw in the Eye.

Some take a Needle and a double Threed, and thrust the Needle through the Filme of the Eye wherein the Crush groweth, which pull out, laying it on your fingers ende, and holding the Needle and the Threede straight, and so cut away all the hard matter a penny breadth. But beware you cut not away the Fatte, which is the wall of the eye: neither cut the Filme wherein the Eye groweth, but cut betweene the Filme & the Crush, and then squirt in Beere.

For a Canker in the Eye.

TAke Roch Allum and greene Coppis, of each a like, boyle them in thzee pintes of running water untill the one halfe be consumed, then take it from the fire, and once a day wash his eyes therewith being made luke warme.

For a stroke in the Eye.

Lay therto the iuce of Smalage, Fennell, and the white of an Egge.

For a Windgall.

TAke and cut the Skin, then take a Spoonfull of Oyle de Bay, one Spoonfull of Turpentine, i. d. worth of Verdigreace, the white of an Egge, and a quarter of an ounce of red Lead: boyle them together, and it will make a Salue, lay the same to the place where you did cut him.
Probatum.

An

For Dilealed Horſes.

An other for the ſame.

First clippe off the haire bare, then cut it the lenth of a Beane and let it out: but beware of the Sinnewes that you cut not them: then haue ready molten Roſen, Sheepes Tallow, and Bzinton, boyled together: then lay on this Medicine, but beware it be not too hot.

For the Spauen.

Take Muſtard ſeede, and Oyle de Bay, & Cow bounge, the rootes of Gallowes, a quantitie of Turpentine, di. oz. of Bole-armoniacke, beate them to powder, and work them together, and binde them hot to the Spauen.

For the Bloud Spauen, and Bone Spauen.

Take by the Clayne aboue & beneath the Joynt, and let it bleede well, then knit by the Claynes, and annoynt them with Butter till they be whole.

For the Bone Spauen, prycke it with a ſharpe poynted knife, then take a peece of Candle, & lay a peece of brown Paper vpon it, and with a hot Iron melt the Tallow, and after noynt it with Butter.

For inflammation of the Coddies.

Boyle Groundſell in Wine and Vineger, and ſo bath him therewith, and uſe to ride him into the Water.

An other for the ſame.

Take a quart of good Ale woot, and ſet it on the fire, with the crummes of browne Bread ſtrongly leaue.

D 3:

ned,

Approoued Remedies,

ned, and a handfull of Commin (or more) in powder: make a Plaster of all these and Beane flower, and apply it to the griefe as hot as may be suffered.

An other for the same.

Take new Cow dung and seeth it in Milke, then make a Plaster and lay it to the griefe as hot vpon the swelling as may be.

For swelling of the Coddies.

Let him assayle a Mare, and giue him no Pouender, and let him blood aboute the great Vaine betweene the Hippes, and lay thereto hard Egges in his owne dung, and make a Plaster of the same, & lay it to the Coddies: and if it helpe him not, let him stand in the Water halfe an houre.

For the Strangulion.

Take Bread, and Bayes of Lozell, and temper them together with May Butter, and giue him thereof three dayes together, and he shall be whole.

For festering of the Sore.

Take Lime and tough Hozle dung, and temper it together with Pepper and the white of an Egge, and lay it to the sore five dayes, and it will cure him.

For Diseased Horses.

A Drinke for the Stone.

TAke a pint of white wine, halfe a pint of Butte seede, and beate them small, ii. oz. of Parsely seede, halfe a handfull of Hyssop, halfe an oz. of blacke Soap: mingle these together, and warme it, and giue it him.

For the Stone Collicke and Fret.

TAke vnset Leeches and stampe them small, and Soap, Milke, and Butter, and giue it the Horse: it will make him pisse.

For a Horse that cannot Stale.

TAke a Nutmeg, and a handfull of Parsely seede, beate them in powder, and a handfull of Butter, and heate it in good Ale, and giue it him blood warme, and hee shall stale as ease.

For the Stone, and to make him pisse.

TAke the seede of Smalage, Parsely, Saxefrage, the rootes of Philudendula, Cherry-stone kirknelles, Grunnell seedes, and Byome Seede, of euery one like much: make them in fine powder, and giue it him in white Wine.

For a Horse that cannot Dounge.

TAke xi. leaues of Lopell, and stampe them in a Morter, and giue him to drinke in strong stale Ale.

TAke Barley and seeth it in the iuce of Gumfoly, and giue him the Barley to eate, and the iuce to drinke.

Qz

Approoued Remedies,

Or else, take and let him blood, and boyle the Blood with the powder of the Rill of Pomegranuts, and put in some Wheate: then straine it, and giue it him to drinke three or foure moynings, but let him not trauell.

Take the powder of Licoris and Annis feedes rould vp in Hony, and giue him three or foure balles of them at a time, pulling out his tongue, & putting it in his throate: It looseth his breath, and setteth his winde at libertie, and purgeth the cold & stiffnesse, & expelleth the Glauanders.

Byled Licoris, Annis seeds, Garlicke byled, a little Salet Oyle and Hony, giuen bloud warme in Silke, cureth very many diseases, and keepeth him from moze.

For a Horſe that is broken Winded.

Take a Hedgehog and split him, & take out his guttes, and dry them vp in an Ouen vntill you make powder of them, giue it your Horse to drinke in a pint of good Ale, a part thereof: then make Balles of Annis feedes & Licoris rowled in Butter, & cast them downe his throate, and wash his Dates in good Ale or Beere, then take Commyn, Annis feedes, Licoris, and Senterpy, and make powder of them, and drew three sponesfull in his Dates, being moyst: vse this same xiiii. dayes.

Another, if he be Purſey.

Take Holline or Longwozt, and make a powder thereof, and giue it him to drinke with Water, and it will heale him.

Or you may take the powder of Genſian at the Apothecaries, and that will heale him also.

For

For Discafed Horfes.

For a Horfe Pricked with a Naile.

Take out the Hoofe till you come to the bottome of
Aine, then take Turpentine i. oz. Tarre i. oz.
Pitch i. oz. Beefe-suet i. oz. and one head of Gar-
like: boyle them all together, and lay them to it so
hot as may be suffered: And if it chaunce to breake out
aboue the Hoofe, then take the said medecine & annoynt
it therewith.

To heale a Mangie Horfe.

Let him Blood on both sides his Necke, then cut the
Skinne in the middelt of the Fore-head, two fingers
broad, then raspe the skinne on both sides, and put in slices
of Angellica roots, or Clacompana: leaue them till it rot,
then thrust out the matter, but leaue the rootes, they will
come out as it healeth, Annoynting the Mangie places
with the Powder of Brimstone and Verdigreace, mixed
with Oyle Oliue.

An other for the same.

Take Lampe Oyle, fine powder of Brimstone, of black
Sope, Tarre, Barrow-hogges greace, and the Sutte
of a Chimnie, of each a like, and then mixe them altoge-
ther, and annoynt the place therewith so hot as may be suf-
fered, and it will helpe him.

For the Mangie of a Dogge.

Take Vineger, Gunpowder, blacke Sope, Brimstone,
burnt Allum, and Verdigreace: boyle al together with
Hony, and rub ouer the mangie place.

G.

For

Approoued Remedies,

For the Stringle-halt.

TAke vp the *H. Uaine* about the Knee, and vnderneath the same Uaine speth a String, cut it away : then cut him below in the Nostrilles, and take away two Strings, and then annoynt him with Butter and Salt.

For the Mares Euill.

TAke Milke, Otemeale, Gallowes, Wormewood, Hozehound, and Smallage ; wyng these togeather with your handes, and boyle them togeather till they be soft, and lay it to the grieft, which will bring it to a head : then you must launce it : then take red Lead, burnt Alum, and Rosen, beat these to powder, and cast vpon it.

To take away Bones, Knobbes,
or Ring-bones.

TAke a pound of Strong Lie and Sope, a quarter of Vitreall Romane, i. oz. of Salarmoniack, as much of Roch Alum; and boyle them togeather till they are thicke, and so vse it for an Oyntment.

Gipsiacum the strongest kind, lay it on with Cotten three or foure times, will take it away. This is good also for a Splint : and though it be a Chissula in the Crowne, it will sinke it.

For the Powle-euill ; which commeth of a
bruse behind the Eares.

TAke a hotte Iron, but first take vp the Haire all the whole compasse, then seare it with the Iron, and then take redde Lead and blacke Sope, and mingle them
with

For Breached Throates.

with Water, and make it thicke, and annoynt him with.
all till it be whole.

To make a Water for the same.

TAke a quart of Water, halfe a pound of Roch Allum,
iii. lb. worth of Mercurie, a quarter of a pound of Ale-
digreace : and when you see the Horse rubbe his Head,
wash him with this water.

An other for the same.

LAy a Playster of Hogs greace on, to ripe the place,
and when it is ripe, launce it, and thrust thorow a hot
Iron, if it be very deepe, and keepe it open with Tentles
made of a Spunge, and dippe it in Hogges greace : vse
this for foure dayes ; then take Turpentine, & the yolkes
of Egges, and Saffron, and mingle them well together,
and dippe your Tentles of Spung therein, and be sure
they goe to the bottome, and playster it with Hogges
greace : and this will cure him.

For the Camer.

Y ou must take out his Tongue and let him blood
in foue or fixe places, And likewise on his vpper
Lippe, that he may bleed well, and all berubbe his
Tongue and Lippes with Salt: then the next day
wash his Tongue and Lippes with Vineger, and rubbe
it againe with Salt, and giue him warme drinke and new
Beere a day or two.

For the Coult-cuill.

TAke the iuyce of Hemlocke, and wash his Beard and
Cuddes therewith.

Approoued Remedies.

An other for the same.

TAKE Beane flower, Vineger, and Polarmoniacke, and
woꝛke these together, and lay it to the Coddres.

An other for the same.

YOU may wash his Shēd with warme Vineger, and
draw forth his Hard and wash it also: then ride him
into the water: let him swimme, and there tolle and turne
him: vse this two or thye weekes.

For the Cloying.

IF he halt, pull off his Shoe & open the place pricked
with a Knife, and powze in Turpentine, Waxe, and
Sheepes suet being molten together: then close it vp
and set on the Shoe againe: let him rest, and come in
no wet ground.

Some do vse to burne the hole with a hot Iron when
they haue pult out the Naylor, and some do powze in boy-
led Butter in the hole once a day, and it hath cured it.

An other for the same.

TAKE a handfull of Nettles, of blacke Sope, of Vine-
ger, of each a spoonefull, and thye times so much
Boares greace or Bacon greace, then stampe them well
together, and stoppe the soze therewith, and it will not
rot any further, but heale, although you labor him.

Some doe stoppe vp the hole when they draw forth
the Naylor, with Tallow and Hoxle dounge, and then set
on the Shoe.

For

For Diseased Horses.

For the Cordes.

The cure is to flitte it, and with a Buckes hozne to take it vp, and tie it in two places, and cut it away.

An other for the same.

Take Mustard, and Aqua-vite, and Sallet Oyle, and boyle them on the Coales, and make a Plaster and bind it hot to the place. It is good also for any Straine, so it be new done.

An other for the same.

Take the Grounds of Ale, and being made warme, bath his legges therewith, & wispe him with a Hape rope.

An other for a Spraine.

Take Smallage, and an Hearbe called Dreye, & some Sheepes suet: choppe them altogether, and boyle it in mens Urine, and bath the place therewith, and wet a Hay band in it, & rowle by the Legge therewith. *Probatū.*

For the Curbes.

Fret his Legges with thy hand, and then take red Colwort leaues, and Burrage, and bray them together, and lay it thereto v. dayes.

Against stiffness of Sinnewes.

Setth a pound of blacke Sope in a quart of strong Ale till it looke like Tarre, and annoynt the Sinnewes therewith, and it will supple them, and bring them to the right course. It is good for a man if he be stiffe in the Ioyntes.

For Enterfeering.

He may be much holpen by choosing with a skilfull Smith: But if the skinne be off, take Hay Butter,

Approoued Remedies,

with a quantity of yelow Rosen, as much Maruell, then fry them together in a Panne, and let it stand till it be cold, and put it in a Botte, and put to it a litle new Cow dung, and make Plasters thereof, & bind it to the place. This will heale also the prick of a Naple.

For the Nauell galled.

Take Sutte of a Chimney, and Peck, mixed together, and playster it on : but shift it once a day.

An other for the same.

Take Rettle seedes, and mixe them with Sallet Oyle, and annoynt the Soze or Chafing therewith.

Some do vse to wash him with warme Water, and then annoynt the place with Greace and Salt mixed together.

An other for the same.

Take hearbe Vittonie, Bzinzstone in powder, of Eliborie Bitch, and old Greace, and stampe them together: and when you haue washed him with Chamber Lie, annoynt him with this Medicine.

A Water for a Gawled Backe,
or any foule Sore.

Take a pottle of Uarnice, iii. lb. worth of greene Coppris, and boyle it to the one halfe or more, and wash the Soze with that, and then fill the Soze with redde Lead, and let it not be dyessed of thre dayes, and then dyesse him againe, as you shall see cause.

For

For Diseased Horses.

For a Greene wound.

Take White wine and make it warme, and wash the Wound therewith, then take Turpentine, Mell Rosap. and a little Clove, and melt them together, being stirred continually till they are well mixed, and then vse it. If it be a Cutte, take Cow and dippe it therein, and fill the Wound with it: If it be a hole, make Centes for the place.

An other for the same.

Take Hogges Greace, and Venus Turpentine, & melt them together: and if it be a Cutte, take Cow and dippe therein, and fill the Wound therewith. If it be a hole, make Centes, and dresse it therewith.

For a hot Impostume in any outward part.

Stampe Liuerwort, and mixe it with the Groundes of Ale, Hallowes, and Hogges greace, being made hot, and layde thereto.

An other for the same.

Bruise Lettis seedes, and Poppie seedes, and mixe them with Oyle of reb Roses, and playster-wise lay it to the soze.

For a cold Impostume.

Take the hearbe Balme, stamped and mixed with Hogs greace, and playster-wise lay it to it.

An

Approoued Remedies,

An other for the same.

SEtch white Vints in Wine oz Ale, with Oyle oz Butter, and lay it hot to the place.

To ripe any Impostume.

SEtch Gallowes Rootes, and Lilie Rootes, and then bruse them, and put thereto Hogges Greace, and Linseed Oyle: and playtherwise lay it to it.

For the Rume.

LEt him blood in the Vaine vnder the Taple, and rubb his Gummes with Sage tyed to a Sticks end, and giue him for a while the tender croppes of blacke bypers, in his Pounder.

For loose Teeth.

PRicke the Gummes with a knife, and then rubbe them with Hony, Sage, and Salt beaten together. The Sowell Horse is most subiect to this disease.

For the Feuer,

LEt him blood in the Thigh in the middle vaine, foure fingers vnder his Cuell: or else, take the Vaine in the Necke and giue him a drinke.

An other for the same.

TAke water and Hony, the iuce of Purselaine, Gumme Dragacet, & Frankensence in powder, with a few of Dammaske Roses, and mixe them altogether, and giue it him to drinke.

An

For Diseased Horses.

31

An other for the same.

Take of Germanber iiii. oz. of Guindfaganet, and of dyed Roses of each i. oz. beate them all into fine powder, and put them in a quart of good Ale, adding thereto Oyle Olive iii. oz. of Hony as much: and giue the Horse luke warme to drinke.

If he draweth his breath Hoxt, and sightheth withall, Let him blood in the Necke: and then take a pint of wine with di. oz. of Sallet Oyle, & mixe therewith Frankensence: and with the iii. part of the iuce of Pugworth giue it him to drinke.

For the France.

You must cut or burne them out, then wash them with Beere & Salt, or Ale and Salt, and so they goe away.

For the Gigges, or Flappes.

Gigges or Flappes, or Pimples, or Teates in the inside of the mouth: you must cure them as you cure the Camery or France: either will helpe him.

It is good to pull out the Horses Tongue very often, for feare of breeding any Blisters or Blaynes under his Tongue; or for feare of Hay seede: which will breede to some of these diseases.

For the Gorge, or to bring haire againe.

Scare him with a hot Iron a handfull aboue the Kne, then Rope him round about with a soft Rope of Hay,
F. and.

Approoued Remedies,

and powye on cold Water, and let it so remaine a night
and a day.

To bring Haire againe.

Take the Dounge of Goates, some Hony, and Allum,
the blood of a Hogge : mixe them all together, and
heate them till they are ready to boyle : and being hotte,
rubbe the bare place therewith.

Or take Nettle seede, Hony, and Salt, and bruse them
together, and then rubbe the place,

An other for the same.

Take the Sutte of a Catwyon, mixed with Hony and
Oyle, and annoynt the place therewith.

Take greene Walnut shelles, and burne them to pow-
der, and mixe them with Hony, Oyle, and Wine, and an-
noynt therewith.

For Grauelling.

Thou shalt take off his Shooes, and pare out all the
Grauell cleane (for if you leaue any Grauell, it will
breed to a sozenesse called a Quitter bone) then
must you stusse him with Turpentine and Hogges
greace melted together, & dipt in tow or Flaxe : then clap
on the Shooe, & keepe it stopped, & shift it euery day till
it be whole, and let him come to no wet : If you stop it not
w^{ell}, it will rise aboue the Hoofe : then you shall haue
moze busknesse, and put your Horse to moze paine.

For

For Diseased Horses.

For the Maltong.

It is an ill sozenesse about the Hoofe, which will breed out in knobbes and bunches, with a watry humor.

If it be in Sommer, take blache Snaples & Burre rootes, and beate them together, and lay it thereto.

If it be in Winter, take the scraping of the bottome of the shagges of the Burre rootes, and put to it a handfull of the inner barke of Elder, and beate them together, and playsterwise lay it to.

An other for the same.

Take Garlick, Pepper, and Hony, and stampe them together, and annoynt his Tongue therewith, and thereof lay some to his Pastozns.

To stoppe a Laske of a Horse.

Take Beane flower & Bolearmoniack, of each a quart: mingle these together in a quart of red Wine, & giue it him luke warme: let him rest, and be kept warme: let him drinke no cold Water, but luke warme: And put in Beane flower, and let him drinke but once a day, and not ouer much: for the space of three or foure dayes.

An other for the same.

Take ob. of Allum, beaten into fine powder, & Bolearmoniack beaten small, & a quart of good Milke: mingle them together till the Milke be all of a curd, and giue it him to drinke, and dyet him as aforesaid: and this will stoppe him. *Probatum.*

For the Viues.

Take Egremonic, Hony, and Violet leaues, stampe them together, and sit the Sennets underneath the eare, and lay a playster thereto three dayes

For a Canker in the Nose or Mouth.

If you see the Canker be of great heate, and burning in the Soze with exceeding paine, you shall take the iuce of Purlslaine, Lettice, and Sorrell, or Night shade, and wash the Soze with a fine cloute, or spout it on with a Squirt: and this will kill it.

An other For the same, most singular.

Take Hyssop, Sage, and Rue, of each a good handfull, and seeth them in Urine and water, to the third part of them: straine them out, & put in it a little white Coppyris and Hony, and Aqua-vite, and so wash the place with it: (It is a singular thing to remooue the Polles) which done, you shall make a Water to heale it, as thus.

Take Rib-wort, Bittanie, and Dallses, of each a handfull: then seeth them in Wine and Water, and wash the Soze three or foure times a day.

Some say that Chistall made in powder, is speciall good to kill the Canker.

For any swelling of a Horse.

Take Hemlocke & stampe it, & mingle it with Sheepes dung and Aleeger, and make a Plaster, and lay it to the swelling.

To heale the wound in the Lampas.

Take a Sawcerfull of Hony, and xii. Pepper Corues, and Bray them together, and Temper them vp with Aleeger

Vineger, and boyle them a while, and then lay it on the Wound three or foure dayes, and then let him blood ou the Lampas.

For the Ringbone Mallender.

Take a paring of a Cheese, and rost it well, and lay it to the Mallender as hot as he may suffer it.

Or else, chafe it well till the blood follow, and annoynt it thereon: chafe it with a hot Iron, so that it hold too the Mallender: then take x. flowers of Sillesflowers set well, and Heune mucke, and temper them well together, and lay it on.

FINIS.



Imprinted at London by W.W.

for Thomas Panier.

1610.